

# Impact of the COVID-19 Outbreak on Long-Term Care in the United States

Courtney Van Houtven, PhD

Professor, Department of Population Health Science, Duke University School of Medicine and Duke-Margolis Center for Health Policy; Research Scientist, Durham Veteran's Administration

Nathan Boucher, DrPH

Assistant Research Professor, Sanford School of Public Policy and School of Medicine, Duke University; Core Faculty Duke-Margolis Center for Health Policy; Research Scientist, Durham Veteran's Administration

Walter D. Dawson, DPhil


Assistant Professor, School of Medicine, Oregon Health & Science University; Institute on Aging, Portland State University; Atlantic Fellow for Equity in Brain Health, Global Brain Health Institute, University of California, San Francisco

# Outline

- Current situation in the United States long term care (LTC) system
- Testing and reporting within nursing homes
- Short and long-term policy reforms needed in LTC

# Current Situation, United States (US)

## Confirmed COVID-19 Cases by US State



- Confirmed cases = 1,417,774
- Total deaths = 85,898
  - 1/3 of deaths are in long term care facilities

*These data represent a snapshot in time (May 14). The number of news cases is rapidly changing.*

Source: Johns Hopkins University CSSE • Created with Datawrapper

# Challenges to Response in US Long Term Care

- Inadequate Personal Protective Equipment (PPE)
- Lack of transparency with reporting
- Litigious environment
- No visitor policies (majority of states)



Image Source: SEIU HCII

# Contributing Factors



Image Source: AP/ Jean-Francois Badias


- Fractured LTC system in the US
  - Mix of public and private funding
  - Overlapping of state and federal government regulation
- Federal policy response limited to acute care
  - Major public health failure
  - Who is leading the charge?
    - Local and state governments
    - Professional societies
    - All under resourced



# LTC Workers in Time of COVID-19


From 30 nursing homes in Northeast US:

- LTC job was full-time (RNs, LPNs, CNAs)
- 70% of workers agreed or strongly agreed:  
*“When you are sick, you still feel obligated to come into work.”*
- One-sixth had a second job (20 hours/week)
- 60% double- or triple-duty caregiving roles
  - In and outside home



# How are Health Organizations Adapting?

**Ideal:** Health care delivery organizations leveraging robust care coordination and data infrastructures to address their patients' COVID and non-COVID-related needs



# Structural Reforms Needed for Covid-19

## Facility policies

- Systematic and repeated testing of staff & residents / screening
- Adequate PPE
- Case reporting
- Sick and leave benefits

## State/Federal policies

- Medicaid reimbursement to support temporary hazard pay
- Telehealth expansion
- Monitor and intervene to avoid industry financial collapse

## Family strategies

- Temporarily shift unpaid care work into capable, non-essential employees

# Transforming LTC System through Research

**Describe  
Challenges**

**Test New Models  
of Care**

**Partnerships to  
Achieve Scale**

- Identify where to target scarce resources (not stars)
- *Demo early warning system for LTC facility workers*
- *Stand up & test “Post-Acute Care at Home” care model*
- Evaluate impacts of expanded tele-health
- *Health System, Departments of Public Health, Academic, LTC associations; LTC providers and firms*
- *Local, State (Medicaid transformation), CMS, Private*

# Contact

Courtney Van Houtven, PhD

[Courtney.VanHoutven@duke.edu](mailto:Courtney.VanHoutven@duke.edu)

@chvanhoutven

Van Houtven, Boucher, Dawson, US Country Report  
LTCCovid.org

Van Houtven CH, DePasquale N, Coe NB. Essential  
Long-Term Care Workers Commonly Hold Second  
Jobs and Double- or Triple-Duty Caregiving Roles. J  
Am Geriatr Soc. 2020 Apr 27. doi:  
10.1111/jgs.16509. [Epub ahead of print]



Image Source: Arbors at Chicopee, Mass.