



# The impact of COVID-19 on people who use and provide long-term care in Ireland and mitigating measures

**Maria Pierce, Fiona Keogh and Eamon O'Shea**

Last updated 13 May 2020

## **Authors**

Maria Pierce (independent researcher and Adjunct Faculty Member, Faculty of Science and Health, Dublin City University), Fiona Keogh (Senior Research Fellow, Centre for Economic and Social Research on Dementia, National University of Ireland Galway) and Eamon O'Shea (Director, Centre for Economic and Social Research on Dementia, National University of Ireland Galway)

## **ltccovid.org**

This document is available through the website [ltccovid.org](http://ltccovid.org), which was set up in March 2020 as a rapidly shared collection of resources for community and institution-based long-term care responses to Covid-19. The website is hosted by CPEC at the London School of Economics and Political Science and draws on the resources of the International Long Term Care Policy Network.

Corrections and comments are welcome at [info@ltccovid.org](mailto:info@ltccovid.org). This document was last updated on 13 May 2020 and is subject to revision.

**Copyright:** © 2020 The Author(s). This is an open-access document distributed under the terms of the Creative Commons Attribution NonCommercial-NoDerivs 3.0 Unported International License (CC BY-NC-ND 3.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See <http://creativecommons.org/licenses/by-nc-nd/3.0/>.

## **Suggested citation**

Pierce M, Keogh F and O'Shea E (2020) The impact of COVID-19 on people who use and provide long-term care in Ireland and mitigating measures. Country report available at [LTCcovid.org](http://LTCcovid.org), International Long-Term Care Policy Network, CPEC-LSE, 13 May 2020.

## 1. Key points

- The initial focus of emergency planning on the acute sector resulted in a belated prioritisation of residential care settings, which is now being addressed.
- Ireland has a 'mixed market' for residential care for older people (public, private and not-for-profit providers) which presents challenges in terms of the consistent implementation of the additional measures required to contain the spread of COVID-19.
- Nursing home providers require additional support to maintain nursing home staff availability and wellbeing during COVID-19.
- The redistribution of home care workers to residential care will undoubtedly have implications for community care, which has received little focus during the COVID-19 emergency.
- The shift in resources to the nursing home sector will likely place additional demands on family carers, who already provide the bulk of care to older people and people with dementia.
- Issues raised by the COVID-19 pandemic underline the need for a thorough examination of the balance between home care and residential care for older people in need of care in Ireland after the current crisis.
- The current crisis highlights the need for private and voluntary nursing homes to be more integrated with the public HSE system in the future.

## 2. Introduction

This is a preliminary report for Ireland on long-term care and COVID-19. It provides an overview of key events and measures introduced at a national level, and responses by key relevant stakeholders, since the first case of COVID-19 was confirmed in the country at the end of February 2020. It focuses primarily on long-term care including nursing homes and community care for older people and people with dementia.

**Note:** This report is a preliminary report and is subject to ongoing weekly updates.

## 3. Impact of the COVID-19 pandemic to date

The National Public Health Emergency Team (NPHE) was established on 27 January 2020 in the Department of Health, chaired by the Chief Medical Officer, to oversee and provide national direction, guidance, support and expert advice on the development and implementation of a strategy to contain COVID-19 in Ireland. The Health Information and Quality Authority (HIQA) is responsible for inspecting nursing homes in Ireland, and is represented on NPHE. Nursing Homes Ireland (NHI), the national representative body for private and voluntary nursing homes in Ireland, is not represented on NPHE.

### 3.1. Number of positive cases and deaths in the general population

The first case of COVID-19 in Ireland was announced on 29 February 2020. By 10 May, there were 23,089 confirmed cases. The incidence rate of confirmed cases is highest for people in the

age group 85 years and over. Of all confirmed cases, 6,101 (26.4%) are people aged 65 years and over.

The main source of data on COVID-19 related deaths to date in Ireland has come from the Health Prevention Surveillance Centre (HPSC). The official number of COVID-related deaths that have been notified to the HPSC is reported. All deaths (in all care settings and dwellings) related to COVID-19 cases are included in this official count. At 10 May, there had been 1,237 deaths from COVID-19; 92.7% are of people aged 65+ (Table 1).

**Table 1: Confirmed cases of COVID-19 related deaths notified to 10 May by age group, n and %**

Age group	Number of cases that died, n	Cases that died, %
<5 years	0	0.0
5-14	0	0.0
15-24	2	0.2
25-34	5	0.4
35-44	10	0.8
45-54	22	1.8
55-64	52	4.2
65-74	179	14.5
75-84	422	34.1
85+	545	44.1
<b>Total</b>	<b>1237</b>	<b>100.0</b>

Source: Epidemiology of COVID-19 in Ireland Report prepared by HPSC on 12 May 2020

### 3.2. Population level measures to contain and delay the spread of COVID-19

Since the first case of COVID-19 was confirmed on 29 February, Ireland has introduced and implemented an extensive range of public health, societal and economic measures to ‘flatten the epidemic curve’ and prevent the health care system from being overwhelmed. To date, Ireland has moved through two phases, a Containment Phase and a Delay Phase.

On 29 February NPHET recommended that Ireland move to the **Containment Phase** to prevent the spread of COVID-19 for as long as possible. Population level measures introduced focused on detecting all cases early and trying to establish who the infected person has been in contact with.

On 11 March NPHET recommended a move to the **Delay Phase**, in response to the rising number of cases of COVID-19, the number of ICU hospitalisations, the first COVID-related death, a number of clusters of infections including in two hospital settings, and evidence of community transmission of the virus. Population level measures included the closure of school, colleges and childcare facilities, cancellation of indoor mass gatherings of >100 people and outdoor mass gatherings of >500 people. Workers were urged to work from home if possible. Hospital visits were restricted. This was followed by the closure of pubs on 15 March and all

non-essential retail outlets on 24 March. Delay Phase measures were intensified on 27 March through what are referred to as ‘Stay at Home’ measures, whereby people were advised to stay at home except for specific reasons including to shop for food and essential household goods, collect medical supplies or attend medical appointments, take care of essential family needs and exercise within 2km of home. Only workers providing essential services could travel to work. People over 70 years of age and those at very high risk of severe illness from COVID-19 were advised to cocoon (Section 5.3.1). These measures, originally intended to be in place until 5 May, were later extended to 18 May.

While the number of positive cases and deaths has continued to accumulate, Ireland has witnessed the benefits of measures taken at a population level with regard to the impact of COVID-19. Infection rates are on a downward trajectory, as are hospital admissions and ICU admissions, and deaths. However, socially, psychologically and economically, the consequences have been dramatic. Ireland is now making **plans to ease the restrictions**. On 1 May NPHET published advice to government in the form a Public Health Framework Approach in relation to reducing social distancing and other measures in response to the progression of COVID-19 in Ireland.<sup>1</sup> Following guidance from the World Health Organization (WHO) and the European Centre for Disease Control (ECDC), NPHET advises measures to be lifted in a very slow, gradual and stepwise manner, in phases separate by three week intervals. Downward trajectories in the incidence of disease, the numbers of deaths, the numbers of cases and clusters in residential healthcare settings are among the key indicators that will be used to inform decision-making with respect to the easing of restrictions. Others include the number of hospital and ICU admissions, and the delivery of sampling, testing and contact tracing. Following the advice from NPHET, on 1 May, the Government published a Roadmap for Reopening Society and Businesses.<sup>2</sup>


### 3.3. Number of positive cases and deaths among residents in care homes

The number of outbreaks of COVID-19 in nursing homes and other residential care facilities has continued to rise. The most recent figures show that, to 10 May, 242 clusters of COVID-19 in nursing homes had been notified, accounting for almost one-third (31.9%) of all clusters in Ireland. A cluster of COVID-19 is constituted by two or more cases of COVID-19 in the same setting within a 72-hour period. Most clusters in nursing homes are in the east of the country, but there is a cluster in at least five nursing homes in all nine Health Service Executive (HSE) areas in the country. There are a further 150 clusters (19.8%) in residential institutions and 31 clusters (4.1%) in community hospitals/long-stay units (Figure 1).

---

<sup>1</sup> <https://www.gov.ie/en/publication/7450cc-advice-provided-by-nphet-to-the-minister-for-health/>

<sup>2</sup> <https://www.gov.ie/en/news/58bc8b-taoiseach-announces-roadmap-for-reopening-society-and-business-and-u/>



Testing of staff and residents across all long-term residential care settings including nursing homes has been ongoing since NPHEP endorsed a HSE proposal on testing in RCFs at its meeting on 17 April 2020.<sup>3</sup> As a result of this testing, NPHEP has released data on the number of laboratory confirmed cases of COVID-19 in residential care facilities. As at 6 May 2020, there were 53,70 confirmed cases of COVID-19 in RCFs, of which 4,268 were linked to nursing homes.<sup>4</sup>

Deaths linked to COVID-19 in nursing homes were reported by NPHEP at a press briefing for the first time on 11 April 2020. At that time, of the 288 laboratory-confirmed deaths, 156 (54.2%) were linked to nursing homes residents.

In response to the rising number of COVID-19 outbreaks and deaths in nursing homes and other residential care facilities, it was announced following a NPHEP meeting on 14 April 2020 that the HSE was putting in place a coordinated national process to identify the prevalence of COVID-19 across nursing homes and other residential care settings, as recommended by the European Centre for Disease Prevention and Control (ECDC).<sup>5</sup> At its meeting on 17 April 2020, a

<sup>3</sup> <https://www.gov.ie/en/press-release/78ca7b-statement-from-the-national-public-health-emergency-team-friday-17-a/>

<sup>4</sup> <https://www.gov.ie/en/publication/20f2e0-updates-on-covid-19-coronavirus-since-january-2020/#may>

<sup>5</sup> <https://www.gov.ie/en/press-release/17f5cb-statement-from-the-national-public-health-emergency-team-tuesday-14-/>

decision was taken by NPHE to carry out a census of mortality across all residential care facilities, covering all COVID-19 and non-COVID-19 fatalities from 1 January 2020, regardless of how the death occurred.<sup>6</sup> The HSE announced at a press briefing on 20 April that it would be establishing a Central Records Management System for nursing homes to facilitate the timely reporting of COVID-19 related data and information.

The Mortality Census of Long-term Residential Care Facilities shows the number of COVID-19 related deaths in nursing homes, centres designated for people with disabilities and mental health centres. The results show that there were 615 COVID-19-related deaths (394 laboratory-confirmed and 221 probable deaths) in these facilities between 1 January and 19 April, the first of which occurred in the week commencing 24 March. Of the 615 deaths, 585 (95.1%) deaths were in nursing homes. There were 16 COVID-19 related deaths in residential centres for people with disabilities and 14 in mental health centres.<sup>7</sup>

The most recent data on all deaths shows that at the 6 May 1,375 COVID-19 related deaths had been notified, 857 (62.3%) of which were related to residents of residential care facilities, including 740 (53.8%) in nursing homes.<sup>8</sup>

#### **4. Long-term care system background and context**

There are 637,567 people aged 65 years and over in Ireland, making up 13.4% of the population.

Care provided to older people in Ireland is based primarily on informal care from family supplemented by formal home care services; public resources for home care are below those available to support residential care provision. While most older people live at home and take care of themselves, there is a significant number who require the support of others. Where care is needed, many older people may initially need family carers to be involved at a minimal level, but generally over time this can increase significantly, as ability to self-care reduces. However, not all older people have family members available to provide care and support.

No large-scale epidemiological study has been carried out in Ireland to provide an estimate of the prevalence of dementia, and depending on the prevalence rates applied to population data, it is estimated that there are between 39,272 and 55,266 people with dementia in Ireland. It is estimated that 19,530 people with dementia reside in long-stay residential care settings and estimates of the number of community-dwelling people with dementia range from 19,742 to

---

<sup>6</sup> <https://www.gov.ie/en/press-release/78ca7b-statement-from-the-national-public-health-emergency-team-friday-17-a/>

<sup>7</sup> <https://www.gov.ie/en/publication/868ad8-mortality-census-of-long-term-residential-care-facilities-1-january-/>

<sup>8</sup> <https://www.gov.ie/en/publication/20f2e0-updates-on-covid-19-coronavirus-since-january-2020/#may>

35,732.<sup>9</sup> Based on this upper estimate, there are approximately 60,000 family carers of community-dwelling people with dementia.<sup>10</sup>

#### 4.1. Nursing homes in Ireland

All nursing homes in Ireland must be registered with the Health Information and Quality Authority (HIQA), the statutory body responsible for monitoring the safety and quality of care in nursing homes in Ireland. As of December 2018, there were 581 nursing homes registered with HIQA with a total of 31,250 residential places.<sup>11</sup> More than three-quarters of nursing homes in Ireland are private or voluntary (not-for-profit) nursing homes; the remainder are public facilities. According to NHI, there are over 460 private and voluntary nursing homes providing care to over 25,000 people (<https://nhi.ie/>). There are approximately 5,000 people residing in public nursing homes.

A significant proportion of residents in nursing homes are people with dementia; it is estimated that between 15,000 and 20,000 with dementia are residing in nursing homes in Ireland.<sup>12</sup> There are also close to 1,500 younger people with disabilities residing in nursing homes in Ireland.<sup>13</sup>

#### 4.2. Psychiatry of later life units

In addition to nursing homes, Ireland has a number of psychiatry of later life units that are registered with the Mental Health Commission.<sup>14</sup> The majority of residents in these units are people aged 65 years and older.<sup>15</sup> At the time of writing, increasing attention has focused on these types of facilities following a cluster of nine deaths in one unit over a three-day period in mid April, with eight of these deaths occurring in people aged between 66 and 84 years of age.

#### 4.3. Home care in Ireland

Home support services account for the bulk of long-term care services for older people in Ireland. Most home support workers in Ireland are employed by approved private providers, with a smaller number employed by the HSE, or directly employed by older people or their

---

<sup>9</sup> Pierse, T., O’Shea, E. and Carney, P. (2017) Estimates of the prevalence, incidence and severity of dementia in Ireland, *Irish Journal of Psychological Medicine*, 36, 129–137.

<sup>10</sup> Pierce, M., Cahill, S. and Carney, P. (2017) ‘Informal Caregiving to People with Dementia’ in O’Shea, E., Cahill, S. and Pierce, M. (eds) *Developing and Implementing Dementia Policy in Ireland*, Galway: National University of Ireland Galway.

<sup>11</sup> <https://www.higa.ie/areas-we-work/older-peoples-services>

<sup>12</sup> Pierce, M. and Pierse, T. (2017) ‘Prevalence of dementia’ in O’Shea, E., Cahill, S. and Pierce, M. (eds) *Developing and Implementing Dementia Policy in Ireland*, Galway: National University of Ireland Galway.

<sup>13</sup> Pierce, M., Duffy, M. and Kilcullen, S. (2018) *The Situation of Younger People with Disabilities living in Nursing Homes in Ireland*, Dublin: Disability Federation of Ireland.

<sup>14</sup> A ‘centre’ is defined in the Mental Health Act 2001 as ‘a hospital or other in-patient facility for the care and treatment of persons suffering from mental illness or mental disorder’ and an approved centre is a centre that is registered by the Mental Health Commission. Unregistered centres are prohibited.

<sup>15</sup> Craig, S. and Daly, S. (2019) Irish Psychiatric Units and Hospitals Census 2019 Main Findings, HRB Statistics Series 4, Dublin: HRB.

family carers. Formal home care is mainly supplied by approved private providers contracted by the State. The public sector is also involved in the delivery of home care, but now plays a relatively small role in direct provision. However, the public sector is still responsible for arranging and financing home care services delivered by approved private providers and the public sector. There is a high prevalence of dementia among community-dwelling older people in receipt of state-funded home care.<sup>16</sup>

In Ireland, publicly-funded home support is allocated based on a care needs assessment by a healthcare professional and is currently not subject to a financial means assessment. This may change as the Department of Health in Ireland is currently in the process of undertaking work to develop a new statutory home care scheme for older people.

## 5. Long-term care policy and practice measures

### 5.1. Whole sector measures

#### 5.1.1. National Action Plan

In response to the arrival of COVID-19 to Ireland, the Irish Government prepared a [National Action Plan](#) issued on 16 March 2020.<sup>17</sup> One of its cross-cutting action areas is: *maintaining critical and ongoing services for essential patient care*. This includes long-term care services for older people and other groups such as people with disabilities. The Action Plan stated that capacity in long-stay settings is to be maintained. It also refers to maintaining home support for older people and other groups such as people with disabilities. Specific details on how capacity in long-term services and on how home support is to be maintained are not detailed. The plan has a specific action on ‘Caring for our people who are ‘At Risk’ or vulnerable’.

#### 5.1.2. Ethical framework for decision-making in a pandemic

An ethical framework to guide policymakers and healthcare planners has been prepared by the Government in response to COVID-19.<sup>18</sup> Key principles in the framework include:

- **Minimising harm:** When imposing restrictions, inform people why this is necessary for public health.
- **Proportionality:** The least restrictive methods possible should be utilised to protect public health.
- **Solidarity:** We must set aside self-interest, territorial focus, etc. to work collaboratively.
- **Fairness:** Resource allocation must be intentional to give equal access to all.

---

<sup>16</sup> O'Brien, I., Smuts, K., Fan, C.W., O'Sullivan, M. and Warters, A. (2017) High prevalence of cognitive impairment among community dwelling older adults in receipt of state funded home care packages: implications for health care planning, *Irish Journal of Psychological Medicine*, 36(2), 139-144.

<sup>17</sup> <https://www.gov.ie/en/publication/47b727-government-publishes-national-action-plan-on-covid-19/>

<sup>18</sup> <https://www.gov.ie/en/publication/a02c5a-what-is-happening/#ethical-framework-for-decision-making-in-a-pandemic>



- **Duty to provide care:** Clinical staff, non-clinical healthcare workers, carers and family members.
- **Reciprocity:** Society must support those with disproportionate burden.
- **Privacy:** Health information may be shared on a limited basis for the benefit of public health.

### 5.1.3. Guidance on ‘cocooning’ for people over 70 years

On 27 March, the HSE issued guidance on cocooning to protect people over 70 years and those extremely medically vulnerable from COVID-19.<sup>19</sup> Cocooning is:

‘a measure to protect those over 70 years or those extremely medically vulnerable by minimising interaction between them and others. This means that those who are over 70 years or those extremely medically vulnerable should not leave their homes, and within their homes should minimise all non-essential contact with other members of their household. This is to protect those who are at very high risk of severe illness from COVID-19 from coming into contact with the virus.’

The guidance on cocooning is for people over 70 years of age, those who are at very high risk of severe illness from coronavirus (COVID-19) because of an underlying health condition, and for their family, friends and carers. It includes advice to those receiving home care.

‘Cocooning’ also applies to people aged 70 years and over in long-stay residential settings. Care providers in these settings are instructed to ‘carefully discuss this advice with the families, carers and specialist doctors caring for such persons to ensure this guidance is strictly adhered to’. However, ‘cocooning’ presents many issues and challenges for residents in nursing homes, their families and staff in nursing homes, and there are particular challenges for people with dementia. However, what ‘cocooning’ means in practice in nursing homes and how the issues and challenges emerging can be addressed is not covered in this guidance document.

As of 5 May, people advised to ‘cocoon’ can go outside for a short exercise or a drive up to 5 km from their home as long as they avoid all contact with other people.

## 5.2. Coordinating acute and long-term care

Another priority action area is ‘Caring for people in Acute Services’, which includes a section on: ‘maximising patient flow through our hospitals and making efficient use of existing resources’. Private nursing homes were identified as playing a key role with supporting flow, with nursing homes identified as an existing resource which could potentially be used to facilitate the early discharge of patients from hospital or patients delayed in hospitals. [Guidance on Transfer of Hospitalised Patients from an Acute Hospital to a Residential Care Facility in the Context of Covid-19](#) was later published by the HSE (on 19 March) and circulated by HIQA on the request

---

<sup>19</sup> <https://www.hpsc.ie/a-z/respiratory/coronavirus/novelcoronavirus/guidance/vulnerablegroupsguidance/COVID-19%20Guidance%20for%20extremely%20medically%20vulnerable%20V1.pdf>

of the HSE. It included guidance on both transfer from acute hospitals to residential care facilities and from residential care facilities to acute hospitals.

### **5.3. Long-stay residential care settings measures**

#### **5.3.1. Restrictions on visiting to nursing homes**

Soon after the first case of COVID-19 in Ireland was announced (on 29 February 2020) NHI began to offer advice to private and voluntary nursing homes. On 6 March, less than a week later, NHI announced on that visiting restrictions were in place across private and voluntary nursing homes in Ireland with a view to protecting residents.<sup>20</sup> This was a number of days before the government's announcement to close schools and universities. NHI received criticism for taking this decision unilaterally. The Department of Health's view was that a blanket ban on visiting nursing homes at that time was unnecessary. The minutes from the NPHET meeting of 10 March show that the restrictions on visitors to nursing homes was discussed by members of the committee. It was agreed at the meeting *'that the current practice of restricting visitors to nursing homes was not required and this would be kept under review'*. At the time, HIQA urged service providers and staff to follow all public health advice from the HSE as the primary source of information and guidance on COVID-19.

One of the most immediate concerns following the announcement of visiting restrictions was the impact on residents of social isolation and separation from their families. NHI carried out a survey of nursing homes to gather information on activities used to mitigate the negative impact on residents and safeguard their wellbeing. Following this a list was compiled of the types of activities that staff could offer to nursing homes residents and ways of ensuring residents could remain in contact with their families. Comfort Words, a national initiative encouraging children to reach out to older people in nursing homes during COVID-19 by writing to them was launched by NHI on 23 March.<sup>21</sup>

Residential respite in nursing homes has also been cancelled during the COVID-19 outbreak.

According to the Roadmap for Reopening Society and Businesses, a phased approach to visiting residential settings will commence in the third phase of reopening. This will be subject to particular features of and the type of setting, and the availability of PPE and other protections. Visiting is expected to return to normal by the fifth phase of reopening.

#### **5.3.2. Assessment and testing**

From 26 March, the case definition for Covid-19 tests changed in Ireland, and people in certain groups were prioritised for testing. Staff and residents of nursing homes were included as a

---

<sup>20</sup> <https://nhi.ie/covid-19-coronavirus-nursing-home-care/>

<sup>21</sup> <https://nhi.ie/comfort-words-initiative-launched-to-bond-children-and-nursing-home-residents-during-covid-19/>

priority group for testing. However, there have been ongoing delays in testing in Ireland due to a global shortage of testing kits and chemical reagents needed to carry out the tests.<sup>22</sup>

HSE issued guidance on the assessment and testing pathway for symptomatic residents in residential facilities (RF) and long-term care facilities (LTCF) was issued on 27 March.

At its meeting on 17 April, NPHE endorsed a proposal from the HSE to increase testing of staff and residents across all long-term residential care settings, including nursing homes.<sup>23</sup>

### **5.3.3. Notifications of COVID-19 infections**

Nursing homes are required to notify the Chief Inspector of Social Services in HIQA of any outbreak of Covid-19, as a notifiable disease, and soon after the first case of Covid-19 in Ireland, HIQA reminded nursing homes of this requirement. HIQA initially continued to carry out inspections in nursing homes, but with changes to its inspection process.<sup>24</sup> On 12 March all routine inspections of nursing homes were cancelled until further notice.<sup>25</sup>

### **5.3.4. Managing staff availability and wellbeing**

On 17 March, the HSE launched a recruitment campaign, 'Be on Call for Ireland', asking all healthcare professionals from all disciplines who were not already working in the public health service to register to be on call to work in existing or newly set up facilities.<sup>26</sup> On the same day, NHI also launched a recruitment campaign for private and voluntary nursing homes.<sup>27</sup> There were concerns that an unintended consequence of the HSE's Be on Call for Ireland campaign would be to divert staff from the private and voluntary nursing home sector to the public sector, at a time when the staff needs in private and voluntary nursing homes was increasing.

Home and Care Community Ireland (HCCI), the national membership organisation for home care providers in Ireland, has agreed at the request of the government/HSE to measures aimed at the voluntary redeployment of some home care workers to support frontline staff in nursing homes.<sup>28</sup>

In an agreement reached between the HSE and trade unions on 15 April, the HSE can redeploy existing HSE staff on a voluntary basis to work in private nursing homes.

Despite agreements aimed at redeploying staff to nursing homes, private and voluntary nursing homes are continuing to experience staff shortages. A snapshot survey undertaken by NHI on 22 April gives an indication of the levels of absenteeism due to COVID-29. A total of 236 private and voluntary nursing homes responded to the survey. There were staff absenteeism at all

---

<sup>22</sup> <https://www.gov.ie/en/publication/55da55-daily-briefing-on-the-governments-response-to-covid-19-wednesday-1st/#testing-concerns>

<sup>23</sup> <https://www.gov.ie/en/press-release/78ca7b-statement-from-the-national-public-health-emergency-team-friday-17-a/>

<sup>24</sup> <https://www.hiqa.ie/hiqa-news-updates/regulatory-response-hiqa-and-chief-inspector-social-services-covid-19>

<sup>25</sup> <https://www.hiqa.ie/hiqa-news-updates/regulatory-response-hiqa-and-chief-inspector-social-services-covid-19-2>

<sup>26</sup> <https://www.hse.ie/eng/services/news/newsfeatures/covid19-updates/oncall/>

<sup>27</sup> <https://nhi.ie/recruitment-drive-launched-by-nursing-homes-ireland/>

<sup>28</sup> <https://hcci.ie/news/>

staffing levels – senior nurse, nurse, health care assistant and other disciplines. For example, 60 nursing homes reported that senior nurses were absent, amounting to 107 senior nurses in all; and 158 nursing homes reported that health care assistants were absent, amounting to 427 health care assistants in all, with 29 nursing homes reporting that ten or more health care assistants were absent. Only 4% of nursing homes reported that staff had been made available to support its frontline staff.<sup>29</sup>

A report by the Economic and Social Research Institute has highlighted the importance of facilitating adequate childcare for essential employees to ensure that Ireland can continue to respond to the crisis. It showed that essential employees including those working in residential care settings and home care are likely to have significant childcare needs, which will certainly have intensified as a result of school closures. Yet, there has been no direct government provision for the childcare needs of essential employees in Ireland. The report also highlighted that many essential workers concentrated in lower paid occupations, such as health care assistants in residential care settings and home care workers, will not have the capacity to pay for additional childcare services.<sup>30</sup> Primary and secondary schools are to commence opening on a phased basis at the beginning of the academic year 2020/2021.<sup>31</sup>

### 5.3.5. Contingency planning for care homes

On 23 March, HIQA wrote to nursing homes asking them to review the contingency plans they had in place to manage the COVID-19 outbreak, which would involve, for example, taking account of staffing considerations, governance and management arrangements, and infection prevention and control procedures. Providers were also advised to refer to current HSE ([www.hse.ie](http://www.hse.ie)) and government ([www.gov.ie](http://www.gov.ie)) guidance and advice when updating their plans.<sup>32</sup>

A month later, on 21 April HIQA published a Regulatory Assessment Framework of the preparedness of designated centres for older people for a COVID-19 outbreak.<sup>33</sup> This framework aims to support those centres that are free from COVID-19 to prepare for an outbreak of COVID-19 and put in place the necessary contingency plans. It is in line with HIQA's Enhanced Monitoring Approach to the regulation of nursing homes, in place since 2018. The framework will assess providers' preparedness to manage an outbreak of COVID-19 under key governance, leadership, management and quality and safety regulations; providers' knowledge of the resources available to support residents and staff in preparing for and managing an outbreak; the efforts made by the registered provider to access specialist clinical advice in providing safe care for residents; and the systems in place to ensure the centre is a safe place for residents.

---

<sup>29</sup> <https://nhi.ie/covid-19-staffing-crisis-escalating-within-nursing-homes/>

<sup>30</sup> Redmond, P. and McGuinness, S. (2020) *Essential Employees During the COVID-19 Crisis*, Dublin: ESRI.

<sup>31</sup> <https://www.gov.ie/en/news/58bc8b-taoiseach-announces-roadmap-for-reopening-society-and-business-and-u/>

<sup>32</sup> <https://www.hiqa.ie/hiqa-news-updates/regulatory-response-hiqa-and-chief-inspector-social-services-covid-19-3>

<sup>33</sup> <https://www.hiqa.ie/sites/default/files/2020-04/Assessment-framework-DCOP-covid19-preparedness.pdf>

Providers are required to complete a self-assessment, in preparation for an on-site assessment by HIQA to take place from 29 April onwards.

### **5.3.6. Upscaling Covid-19 restrictions and prioritisation of nursing homes in emergency planning**

On 27 March 2020, Ireland moved to a more intensive phase of restrictive actions and the Irish government announced additional public health measures urging everyone to stay at home wherever possible.<sup>34</sup>

Around this time, concerns were expressed by the NHI that the nursing home sector, rather than being prioritised in public health emergency planning for COVID-19, was being ignored and left unsupported. In response to these concerns and the rising clusters of COVID-19 in nursing homes, NHI sought an urgent meeting with the Minister of Health to discuss the nursing home sector and related issues including specific guidance for nursing homes, staff shortages in nursing homes and issues in relation to the procurement of PPE, and called on the government to regard private and voluntary nursing homes as part of the national health infrastructure during the crisis.<sup>35</sup> A meeting between NHI, representatives working within nursing homes, the Minister for Health and the Secretary General of the Department of Health took place on 30 March. Challenges discussed included timely access to PPE and oxygen, priority coronavirus testing for staff working in nursing homes, the need for support around staffing, and additional funding of the sector.

This coincided with the issuing of an updated version of the document 'Preliminary COVID-19 infection outbreak and control guidance including outbreak control in residential care facilities and other similar units' by the HSE.

The issue of nursing homes was examined by NPHE in its meeting on 31 March, following a request from the Minister of Health,<sup>36</sup> and efforts to tackle outbreaks in nursing homes were increased.<sup>37</sup>

A number of measures for nursing homes were introduced, aimed at keeping residents in long-stay residential settings as far as possible, while preventing the spread of the virus within nursing homes. NPHE recommended that HIQA conduct a risk assessment to see which nursing homes need extra support to deal with Covid-19, with a view to ensuring the facilities had adequate PPE, oxygen and staff, including replacement staff, and helping make these available if needed. National and regional outbreak teams were set up to oversee long-term residential care settings and to tackle specific clusters of COVID-19 in nursing homes and prevent further spread within the nursing home. It was also recommended that more personal protection equipment (PPE) be made available for staff working in nursing homes, to areas

---

<sup>34</sup> <https://www.gov.ie/en/publication/ce3fe8-previous-updates-on-covid-19-coronavirus/>

<sup>35</sup> <https://nhi.ie/government-needs-to-urgently-meet-nursing-homes-sector/>

<sup>36</sup> <https://www.gov.ie/en/publication/6973bc-daily-briefing-on-the-governments-response-to-covid-19-monday-30-mar/>

<sup>37</sup> <https://www.gov.ie/en/collection/691330-national-public-health-emergency-team-covid-19-coronavirus/>

where was most needed. Health checks for nursing home staff and training and preparedness plans for infection outbreaks were also recommended.<sup>38</sup>

In an attempt to break the chain of transmission of the disease, it was recommended that nursing homes residents who contract COVID-19 should continue to be cared for in nursing homes, unless there is a clinical or other advantage to them being transferred to another setting.

Moreover, in an effort to minimise the risk of onward transmission of the virus, it was recommended that restrictions could be introduced to discourage nursing home staff, particularly locum staff, from working in different homes, thereby reducing the risk of infection. Consideration is also being given to providing separate accommodation for some nursing home staff.

### **5.3.7. Further measures for nursing homes**

With rising infection clusters in long-stay residential facilities, nursing homes continued to be an area of priority and ongoing concern in Ireland. Further measures for nursing homes were quickly announced including the updating of guidance on infection prevention and control in residential care facilities, and additional support for nursing homes including through tele-mentoring.

On 4 April the Minister for Health, Simon Harris, announced further measures to support nursing home residents during COVID-19.<sup>39</sup> A range of enhanced measures were recommended to assist residents and staff in nursing homes:

- staff screening will start in nursing homes twice a day
- COVID-19 testing will be prioritised for staff in nursing home
- the HSE will provide access to PPE, expert advice and training
- each nursing home will be identifying a COVID-19 lead

The issue of nursing home staff working in different long-stay residential settings was again addressed, with plans to minimise staff movement across long-stay residential facilities. If required, staff are to be supported by the HSE with alternative accommodation and transport, to avoid staff who work in multiple locations sharing the same accommodation.

### **5.3.8. Temporary Covid-19 financial support scheme**

The Minister for Health also announced on 4 April that a temporary COVID-19 financial support scheme was to be introduced by government to support the critical services provided by nursing homes.<sup>40</sup> The scheme, which has been welcomed by the NHI,<sup>41</sup> is aimed at providing immediate temporary assistance payment to support private and voluntary nursing homes to take measures to further mitigate against a COVID-19 outbreak and be capable of managing any

---

<sup>38</sup> <https://www.irishtimes.com/news/health/people-in-residential-care-with-covid-19-should-be-kept-in-homes-crisis-team-says-1.4218071>

<sup>39</sup> <https://www.gov.ie/en/news/228125-minister-for-health-announces-enhanced-measures-to-support-nursing-h/>

<sup>40</sup> <https://www.gov.ie/en/news/228125-minister-for-health-announces-enhanced-measures-to-support-nursing-h/>

<sup>41</sup> <https://nhi.ie/nhi-statement-re-measures-to-support-nursing-home-residents-in-response-to-covid-19/>

outbreak that occurs in terms of providing safe staffing and a safe environment. It is envisaged that the scheme will operate for a three-month period. It will be reviewed after the first month of operation.

The core concept of the scheme is that the State will provide additional funding to those nursing homes that require it. It is intended that the Financial Support Scheme will consist of two inter-related component parts:

1) Assistance for nursing homes subject to a standard threshold

Funding is to be provided to each applicant nursing home for COVID-19 related measures and expected costs. The expected costs are for the month ahead, the first of which will be the month of April. Financial support is to be provided based on the number of Nursing Home Support Scheme (NHSS) residents in the home as reported for the month of March by the HSE Nursing Homes Support Office.<sup>42</sup> The nursing home will receive €800 per resident per month for the first 40 residents, €400 per resident per month for the next 40 residents and €200 per resident per month thereafter.

2) Enhanced outbreak assistance business case (for the same period) in the event of a COVID-19 outbreak

Where a nursing home has incurred significant further costs or undertaken necessary enhanced actions arising directly from COVID-19 outbreak as certified by the HSE, a nursing home may submit a separate business case for enhanced funding. In such cases, the nursing home in question will be required to submit evidence of the measures undertaken and the costs incurred, along with independent certification from an auditor that the expenditure was incurred and it relates directly to COVID-19. The maximum assistance available to an individual nursing home per month will be twice that of the agreed monthly support (see 1 above) or a maximum amount of €75,000 inclusive of the monthly support, whichever is less.

The scheme – Temporary Assistance Payment Scheme to Support Resilience and Service Continuity in Private and Voluntary Nursing Homes – is being administered by the National Treatment Purchase Fund (NTPF).<sup>43</sup> Details of the scheme including costs allowable are published on its website.<sup>44</sup> Conditions for eligibility include compliance by applicant nursing homes with relevant guidance regarding the COVID-19 emergency issued by a range of State entities including the HSE (HPSC), NPHET, HIQA and Coroners Service, and a declaration that a COVID-19 preparedness plan have been developed which includes staff training in infection prevention and control measures, COVID-19 preventative measures, contingency planning for outbreak management including isolation measures and cleaning, and full engagement and timely provision of data and information through processes established by the HSE and HIQA.

---

<sup>42</sup> There are 17 local Nursing Home Support Offices in Ireland.

<sup>43</sup> The NTPF is the body responsible for negotiating and agreeing pricing arrangements with private and voluntary nursing homes on behalf of the State under the Nursing Home Support Scheme.

<sup>44</sup> <https://www.ntpf.ie/home/covid19.htm>

On 18 April, NHI called for a review of the proposed scheme, expressing concern about the way in which the financial cap on the Standard Assistant Payment is to be calculated.<sup>45</sup>

### **5.3.9. Updated guidance on infection prevention and control in residential care facilities**

The issuing and updating of ‘Interim guidance on infection prevention and control including outbreak control in residential care facilities during the COVID-19 pandemic’ has been a key public health measure. Given the rapidly changing situation, the guidance is regularly updated and new versions issued. Changes on 7 April were informed by guidance developed in other countries (e.g. Australia and Scotland) and by WHO, evidence from rapid reviews, and greater understanding of the support needs of staff and residents in residential care facilities. The guidance was changed in the most recent version to update sections on general preparedness, infection and control measures, and environmental hygiene and to provide updated guidance on preventing and control of outbreaks. It includes additional information about the virus, and information and guidance in relation to laboratory testing. It was also updated to reflect recent changes in roles and responsibilities; and to update and add information on transfer between care settings. The addition of sections on pastoral care, care of the dying and care of the recently deceased reflects the need to ensure access to spiritual and end of life care. A proposal for occupational health supports was appended to the guidance, in response to the need for better support to maintain the health and wellbeing of staff.

Some examples of updates include the following:

- 10 April recorded a change in the definition of an outbreak for public health action purposes and an update on the management of an outbreak. Tools and checklists for management were added as appendices.
- 17 April to recorded a change in testing strategies to include all residents and staff; a change in clinical presentation description; and a change in outbreak definition for surveillance purposes.
- 21 April recorded changes to testing strategy for nursing homes; use of the Mental Health Commission for reporting of outbreaks; physical distancing measures for staff while on break times; restructured transfer into residential care facilities; and change to guidance on mask wearing for health care workers. The most recent version of the guidance can be found [here](#).

### **5.3.10. Supporting nursing home providers and staff**

As part of the enhanced public health measures for nursing homes and other residential care settings, HIQA opened a new Infection Prevention and Control Hub on 6 April to provide information and advice to nursing homes and other long-stay residential care settings when it comes to dealing with a COVID-19 outbreak.<sup>46</sup> The hub is available to providers and staff of

---

<sup>45</sup> <https://nhi.ie/minister-leaves-5000-residents-behind-in-nursing-homes/>

<sup>46</sup> <https://www.hiqa.ie/hiqa-news-updates/hiqa-launches-new-covid-19-support-service-residential-social-care-sector>



nursing homes, residential centres for people with a disability, special care units and Tusla children's residential settings. It will provide:

- guidance on how to prepare for and manage a Covid-19 outbreak in a residential service
- advice on infection prevention and control measures when caring for a resident with confirmed or suspected covid-19
- support in understanding and applying national advice in individual settings
- answers to general infection prevention and control queries from services and staff

Tele-mentoring is also being used in Ireland to provide information, training, guidance and support to nursing homes during COVID-19. The HPSC is delivering a series of webinars on preventing and managing COVID-19.<sup>47</sup> Another example is the Project ECHO AllHPC Webinars for Nursing Homes. This is a collaboration between the All Ireland Institute of Hospice and Palliative Care (AllHPC), Our Lady's Hospice & Care Services, and the Age-related Health Care Department of Tallaght University Hospital. The collaboration is being supported by a number of organisations including the HSE, Irish Hospice Foundation, NHI and Irish Gerontological Society.<sup>48</sup>

## 5.4. Measures for community-based long-term care

### 5.4.1. Guidance for health and social care workers who visit people's homes

One of the first actions taken in relation to community care by the HSE during the COVID-19 crisis was to issue (on 16 March) guidance for health and social care workers who visit people's homes.<sup>49</sup> This filled an important gap. It covers providing routine home care for persons who are not suspected or confirmed cases of COVID-19; providing home care for people who are discovered to have symptoms of respiratory infection who are suspected or confirmed COVID-19; and providing planned home care for people who have suspected or confirmed COVID-19. It also covers the use of personal protective equipment (PPE).

In addition to guidance for home care workers, planning for acquiring and distributing adequate supplies of PPE and training home care workers in their use is important, although evidence from other countries suggests that this is likely to be challenging.

Updated guidance from NPHET (23 April) is that surgical masks should be worn by healthcare workers when providing care to patients within 2m of a patient, regardless of the COVID-19 status of the patient and for all encounters, of 15 minutes or more, with other healthcare workers in the workplace where a distance of 2m cannot be maintained. This applies to much of the work undertaken by home care workers.<sup>50</sup> Concerns have been expressed by HCCI on the

---

<sup>47</sup> <https://www.hpsc.ie/a-z/respiratory/coronavirus/novelcoronavirus/guidance/infectionpreventionandcontrolguidance/webinarresources/oripc/>

<sup>48</sup> <https://www.irishgerontology.com/news/latest-news/announcement-covid-19-webinars-nursing-homes>

<sup>49</sup> <https://www.hpsc.ie/a-z/respiratory/coronavirus/novelcoronavirus/guidance/infectionpreventionandcontrolguidance/V1.0-Guidance-HealthSocialCareWorkersWhoVisitHomes.pdf>

<sup>50</sup> <https://www.hpsc.ie/news/title-19806-en.html>

availability of surgical masks and the logistics of sourcing and distributing supplies to dispersed home care workers.<sup>51</sup>

#### 5.4.2. Home care providers

HCCI, the national membership organisation for home care providers in Ireland, with approximately 80 members across the country, developed a COVID-19 National Action Plan, published on 18 March, seeking the government and HSE to engage with issues facing the home care sector during COVID-19.<sup>52</sup>

There have been anecdotal reports that an increasing number of people in receipt of home care have decided voluntarily to 'self-isolate' and have temporarily cancelled home support during COVID-19 in response to public health messages; others have taken this decision following advice from medical doctors to self-isolate (HCCI, 2020). Cancellation of home support is likely to be due to fears that allowing home care workers to visit the house will increase the risk of infection. It remains to be seen how people are faring without home care assistance, but it will undoubtedly place an additional burden on family carers during the crisis. It also affects the employment and wages of home care workers, as well as state payments to home care providers.

While workers in Ireland have been asked to work from home where possible during the crisis, this is not an option for home care workers. However, there are reports that an increasing number of home care workers are not reporting to work, as they are either self-isolating voluntarily in response to public health messages or on the advice of medical doctors (HCCI, 2020). Some may become sick or are caring for a relative who is sick. Child care facilities and schools have been closed in Ireland since 13 March, and some home care workers may be unable to report to work due to child care responsibilities. Others may be combining work as a home care worker with caring for an 'at risk' or 'vulnerable' relative. Evidence suggests that fear and concern for their families and self, and well as fear of infecting clients may be a barrier to home care workers continuing to work during a pandemic.<sup>53</sup>

Retaining capacity during the COVID-19 crisis is critical for the home care sector, as many home care workers are providing care to people with high levels of need. Home care workers can also provide an important route for communicating important public health messages to older people and their families.

---

<sup>51</sup> <https://www.rte.ie/radio/radioplayer/html5/#/radio1/21757699> 26/4/20

<sup>52</sup> <https://hcci.ie/hcci-covid-19-national-action-plan/>

<sup>53</sup> Baron, S., McPhaul, K., Phillips, S., Gershon, R., and Lipscomb, J. (2009) Protecting Home Health Care Workers: A Challenge to Pandemic Influenza Preparedness Planning, *American Journal of Public Health*, 99(S2): S301-S307.

Increasing home care capacity will also be important, as home care workers may provide surge capacity by, for example, providing care to patients discharged home from hospital.<sup>54 55</sup> Increasing capacity in the home care sector is not an easy task.

Home care workers in Ireland are low paid workers. Many work part-time and some will be in receipt of social welfare payments and/or have a medical card. While there has been much focus in Ireland on enhanced social welfare payments for people who lose their jobs or suffer reduced working hours as a result of COVID-19, much less attention has been paid to the impact that increased working hours will have on low paid workers and their entitlements to social welfare payments and/or a medical card. This is an issue of relevance to the home care sector.

#### **5.4.3. Home care workers listed as essential workers**

On 27 March, as Ireland moved to a more intensive phase of restrictive actions and the Irish government announced additional public health measures urging everyone to stay at home wherever possible, workers in the category of essential services were permitted to travel to and from work. Home care, home help and other community services were included among the list of essential workers.<sup>56</sup>

#### **5.4.4. Reduction in home care hours and redeployment of home care staff to the long-stay residential care sector**

The reduction in the provision of community-based home help hours is the most significant change that has taken place to date in the area of home care in response to COVID-19. A decision was taken by government to ‘stand down’ some home help hours, but it was stressed that this was only for people who are relatively well, and might have had a lower level of service, or have good family supports in place. The decision to temporarily cancel home help hours is related to public health measures of physical distancing and ‘cocooning’. It is also related to the circumstances in the long-stay residential care sector, which has been experiencing a rapid rise in the number of clusters of COVID-19, and staff shortages when the need for staff capacity is growing. In these circumstances, the HSE is seeking to deploy home care workers from home care to the long-stay residential care sector. These measures have been agreed with HCCI,<sup>57</sup> who reported that between 700 and 1,000 home care workers are expected to be redeployed to work in nursing homes under the agreement. Information on how many people are affected by this decision is not available. People affected are advised to contact the local public health nurse if they have concerns about the changes. This measure will

---

<sup>54</sup> Baron, S., McPhaul, K., Phillips, S., Gershon, R., and Lipscomb, J. (2009) Protecting Home Health Care Workers: A Challenge to Pandemic Influenza Preparedness Planning, *American Journal of Public Health*, 99(S2): S301-S307.

<sup>55</sup> Levin, P.J., Gebbie, E.N., Qureshi, K. (2007) Can the Health-Care System Meet the Challenge of Pandemic Flu? Planning, Ethical, and Workforce Considerations, *Public Health Reports*, 122: 573-578.

<sup>56</sup> <https://www.gov.ie/en/publication/dfeb8f-list-of-essential-service-providers-under-new-public-health-guidelin/#human-health-and-social-work-activities>

<sup>57</sup> <https://hcci.ie/news/>

<https://hcci.ie/crucial-that-government-focuses-on-home-care-the-last-and-sustained-frontier-in-the-battle-against-covid-19/>

undoubtedly have implications for home care – for people in receipt of home care, and their family carers, home care workers, and home care providers.

On the 5 May, the HCCI reported that they met with the Minister for Health and the Minister of State for Older People on the 29 April to agree a Home Care Plan consisting of four key elements:<sup>58</sup>

- pay stability for the home care sector
- cost and procurement of PPE
- increased testing of home care clients and carers
- progressing work on the development of the statutory home scheme, as soon as possible

#### **5.4.5. Community Call Initiative**

Community Call is a governmental national volunteering initiative announced on 2 April, as part of the Government Action Plan to Support the Community Response. Community Call links national and local government with the voluntary and community sectors to respond to COVID-19. Its aim is to coordinate community activity and direct it to where it is needed. It also aims to organise the large number of volunteers who have come forward to assist in their community during COVID-19. Community Call will take place in every country in Ireland. Its activities will in the first instance be focused on providing practical support to older people and other ‘vulnerable’ people. Community Call is receiving calls in relation to issues such as the collection and delivery of items like groceries; people needing someone to talk to; medical or health services; and the delivery of meals.<sup>59</sup> As of 10 May, Community call has received 33,188 calls. As well as providing a variety of supports such as collection and delivery, 14,104 follow up calls have been made. ALONE, a national charity for older people, is partnering with each COVID-19 Community Call Forum. ALONE launched a helpline very early in the COVID-19 outbreak in Ireland, on 9 March. To date (10 May), the helpline had received 18,680 calls and provided a variety of practical supports in response. ALONE also has a proactive approach to providing support and has made 62,890 calls to older people since 9 March.

The initiative is to be overseen at both national and local levels. At national level, a group has been established from the Department of the Taoiseach, the Department of Housing, Planning and Local Government, the Department of Rural and Community Development, and the County and City Management Association. It will be overseen and managed locally by the local authorities, led by the county chief executives, the most senior public official in every county. They have been tasked with leading a dedicated community forum, comprising an extensive range of state and voluntary organisations, in each county to coordinate and connect the wide range of services and support available in the area.

---

<sup>58</sup> <https://hcci.ie/crucial-that-government-focuses-on-home-care-the-last-and-sustained-frontier-in-the-battle-against-covid-19/>

<sup>59</sup> <https://www.gov.ie/en/publication/4abe3c-daily-briefing-on-the-governments-response-to-covid-19-wednesday-15t/#community-call-fora>

A €2.5m fund has been launched to support community and voluntary organisations involved in the initiative. The fund will be administered by local authorities, to whom community and voluntary organisations can apply for funding. Priority is to be given to organisations that incur costs on direct delivery of frontline services to people, such as Meals on Wheels and other similar activities.

A data hub, which provides people with information about their local forum's work and the national work, is live and updated daily.<sup>60</sup>

#### **5.4.6. Evidence from TILDA to assist with planning for COVID-19**

TILDA is the Irish Longitudinal Study on Ageing, which at Wave 1 represented 1:156 people aged 50 and older in Ireland, collecting detailed subjective and objective measures of health, social circumstances and economics every two years. The interviews take place in participants' homes using computer assisted personal interview (CAPI). Core objective health measures are also collected at each wave in the home and more detailed health assessments are made at alternate data sweeps in a health assessment centre or in the participant's home. Response rates at Wave 1 were 62%. There have been five waves of data collection to date. Wave 1 commenced in 2009, Wave 5 in 2018. To assist with planning for COVID-19, the TILDA team have analysed their most recent data (Wave 5 in 2018) to help identify numbers in at-risk cohorts.<sup>61</sup> The TILDA sampling frame does not include people living in nursing homes. People with dementia were not included in the TILDA sampling frame at baseline. Accordingly, the figures are likely to be an underestimate.

Overall, 14% of TILDA respondents aged over 70 years live alone and just over one-third of this cohort have a difficulty in at least one activity of daily living (ADL). An estimated 13.5% of those aged over 70 years receive home help services (both private and state-provided) and 13% report receiving care from a family caregiver.<sup>62</sup>

TILDA estimates suggest that 80,600 people over 70 years (19%) are living with frailty and that 12,200 over 70s are living alone with frailty. Over half of the over 70s with frailty (55%) have no formal or informal care; 31% receive informal care from a family member or friend and 32% receive formal community support services.<sup>63</sup> The most commonly used health service by older adults is their general practitioner (GP): 97% among adults aged ≥70 visited their GP in the previous 12 months, making an average of 4.4 visits in that period.<sup>64</sup>

There has been concern that the discourse around older people is now dominated by messages of frailty and vulnerability. Data from TILDA has been used to rebalance this narrative and to emphasise the significant contribution older people make to society in Ireland. For example:<sup>65</sup>

---

<sup>60</sup> <https://community-call-covid-19-geohive.hub.arcgis.com/>

<sup>61</sup> [https://tilda.tcd.ie/publications/reports/pdf/Report\\_DemographicsOver50s.pdf](https://tilda.tcd.ie/publications/reports/pdf/Report_DemographicsOver50s.pdf)

<sup>62</sup> [https://tilda.tcd.ie/publications/reports/pdf/Report\\_DemographicsOver50s.pdf](https://tilda.tcd.ie/publications/reports/pdf/Report_DemographicsOver50s.pdf)

<sup>63</sup> [https://tilda.tcd.ie/publications/reports/pdf/Report\\_Covid19Frailty.pdf](https://tilda.tcd.ie/publications/reports/pdf/Report_Covid19Frailty.pdf)

<sup>64</sup> [https://tilda.tcd.ie/publications/reports/pdf/Report\\_Covid19HealthcareUtilisation.pdf](https://tilda.tcd.ie/publications/reports/pdf/Report_Covid19HealthcareUtilisation.pdf)

<sup>65</sup> <https://tilda.tcd.ie/publications/reports/Covid19Caregivers/index.php>

- 47% of those aged 70 years and over volunteered in the last year, with 17% performing voluntary work every week.
- 29% of over 70s provide childcare for their grandchildren, with a median number of 16 hours of care provided per month, although one in five of all grandparents over 70 provided 40 hours of childcare per month.
- 31% of over 70s provide help and care for their spouses, relatives (not including grandchildren), neighbours or friends.
- 60% of over 70s enjoy regular social and leisure activities and 28% have four or more regular contacts.

The Irish Gerontological Society<sup>66</sup> has also written on the importance of support for older people at this difficult time.

## 5.5. Impact on unpaid carers and measures to support them

Family carers of older people have received no specific new supports in response to the COVID-19 pandemic, although they may benefit from many of the generic measures detailed throughout this report. For example, the government’s mental health and well-being initiative launched on 11 April to support the diverse mental health needs of all people during COVID-19 may be especially relevant and timely for family during the pandemic.<sup>67</sup>

Those family carers who qualify for the means tested Carers Allowance will continue to receive payment for care during the crisis – this payment is paid to people on low incomes looking after a person who needs support due to illness, disability or age. The allowance allows carers to engage in paid market work of up to 18.5 hours per week. The new Pandemic Unemployment Payment of €350 introduced by the government for all workers losing their job will be paid to those carers who may have lost their part-time job as a result of COVID-19, on top of the Carers Allowance.

On the other hand, some family carers may be disadvantaged by the agreement reached between the HSE and Home and Community Care Ireland on 2 April 2020 (<https://hcci.ie/news/>) to deploy paid home support workers, currently looking after low dependency clients in the community, to work in nursing homes. The assumption is that family carers will take up the slack resulting from this redeployment. While no redeployment will occur without agreement from families, the shift in resources is likely to add to the workload of some family carers.

Care Alliance Ireland<sup>68</sup> have set up an online Family Carer Support Group through the Facebook platform in a closed private group format. This initiative is facilitated by a number of health and social care professionals with social work and counselling qualifications, as well as by volunteer

---

<sup>66</sup> <https://www.irishgerontology.com/news/latest-news/principles-covid-world>

<sup>67</sup> [https://merrionstreet.ie/en/News-Room/News/Minister\\_for\\_Health\\_launches\\_mental\\_health\\_and\\_wellbeing\\_initiative\\_to\\_support\\_people\\_during\\_COVID-19.html](https://merrionstreet.ie/en/News-Room/News/Minister_for_Health_launches_mental_health_and_wellbeing_initiative_to_support_people_during_COVID-19.html)

<sup>68</sup> <https://www.carealliance.ie/Covid19>

current and past carers sharing their experience.<sup>69</sup> Family Carers Ireland have produced information and advice for carers across their platforms<sup>70</sup> including how to prepare an emergency care plan, as a contingency, should family carers be unable to continue to care during the crisis. Family Carers Ireland also received a voluntary donation of €350,000 from Irish Life insurance company on 15 April to support family carers during and after the pandemic.

The Alzheimer Society of Ireland provides ongoing and up-to-date information and support for carers of people with dementia during the pandemic.<sup>71</sup> So too does the Dementia Services Information and Development Centre (DSIDC), which provides resources aimed at addressing social isolation among carers of people with dementia during the pandemic.<sup>72</sup>

## 5.6. Impact on people with dementia and measures to support them

Over the past ten years, community- and group-based services, interventions and activities have greatly expanded in Ireland, from a very low base, to provide a greater range of services and supports that are more personalised to the needs of people with dementia and their family carers. In addition to more traditional day care services and residential respite, there are also social clubs, a network of Alzheimer Cafes, choirs, dancing, art gallery and museum programmes, cognitive stimulation therapy, memory rehabilitation, family carer training and education, and peer-support groups. Memory Technology Resource Rooms (MTRRs) have been established across Ireland to provide people with dementia with information and advice about assistive technologies and strategies to promote independence, safety and quality of life. None of these services and supports are available for people with dementia and/or their family carers to attend in person during COVID-19.

Drawing on feedback from a range of sources including people with dementia, family carers, dementia advisers, and the national helpline, the ASI has identified a range of issues affecting people with dementia and their family carers as a result of COVID-19.<sup>73</sup> People with dementia reported experiencing loneliness and social isolation as a result of being housebound and having to withdraw from social activities. Boredom and lack of routine were also reported, as well as anxiety and fears. Family carers reported difficulties motivating people with dementia, increased levels of responsive behaviours, increased caregiving demands, greater levels of stress, and little or no support, as well as anxiety and fear about uncertainty and the unknown, especially the worry about what would happen if they themselves were to become ill. People with dementia left alone at home during the day was also a concern for family carers. Increases in responsive behaviours were also reported by dementia advisers. People with dementia and family carers identified the need for practical and emotional supports.

While the Alzheimer Society of Ireland can no longer offer its dementia-specific day care services, residential respite, social clubs, family carer support groups, Alzheimer Cafes (although one Cafe continues to meet virtually), and face-to-face family carer training during COVID-19, it

---

<sup>69</sup> <https://www.facebook.com/groups/FamilyCarerOnlineSupportGroupIreland/>

<sup>70</sup> <https://familycarers.ie/coronavirus-covid-19-information-advice/>

<sup>71</sup> <https://alzheimer.ie/about-us/coronavirus-covid-19-update/>

<sup>72</sup> <http://dementia.ie/news-events/news/helpful-resources-that-may-help-with-social-isolation-during-covid-19>

<sup>73</sup> <https://alzheimer.ie/creating-change/awareness-raising/dementia-in-the-media/>

is continuing to support people with dementia and their families through its National Helpline. Its online family carer training is still running. Dementia Advisers are available to work with and provide information to people with dementia and their family carers. Home care provided to people with dementia and their family carers by the ASI also continues to be provided. The ASI provides tip sheets to help support people with dementia and their families during COVID-19 and lists supports available from organisations in Ireland during COVID-19.<sup>74</sup> The ASI has introduced a new service through its National Helpline offering people with dementia or family carers a 1:1 telephone or video conference call with a Dementia Nurse or a Dementia Adviser.<sup>75</sup>

The Dementia Services Information and Development Centre, Ireland's national centre for excellence in dementia, has responded to the crisis by developing a collection of resources to support family carers and mitigate the impact of social isolation on people with dementia.<sup>76</sup> A selection of meaningful activities for people with dementia, families and carers has been compiled into a booklet by an occupational therapist attached to a Memory Technology Resource Room (MTRR).

The Irish Centre for Social Gerontology at NUI Galway has outlined 'four critical messages for policy and response formulation' in relation to combatting social exclusion for older people during the COVID-19 pandemic, emphasising the continued importance of rationing on the basis of need at this time.<sup>77</sup> The Centre for Economic and Social Research on Dementia (CESRD) at NUI Galway has also written on the importance of supporting people with dementia during the crisis (O'Shea, 2020).<sup>78</sup>

The National Dementia Office, in conjunction with an Expert Group and the Office of the Nursing and Midwifery Services in the HSE, has developed a set of resources to support the care of people with dementia living in residential care facilities. The resources, which were issued on 24 April,<sup>79</sup> are as follows:

- Covid-19 Related Hygiene and the Person Living with Dementia
- Dementia and Covid-19 Testing Algorithm
- Dementia Resource – Advance Care Plan Algorithm
- COVID and Dementia in RCF – Grieving in Exceptional Times
- COVID and Dementia – Non-cognitive Symptoms and Isolation in RCF

While the Roadmap for Reopening Society and Business does not specifically mention people with dementia, it does refer to the delivery of community and social care services alongside COVID-19 care. The focus in phases 1 and 2 of reopening is on capacity planning and predicting demand for a range of services including community and social care. The delivery of services in

---

<sup>74</sup> <https://alzheimer.ie/about-us/coronavirus-covid-19-update/>

<sup>75</sup> <https://alzheimer.ie/service/virtual-dementia-nurse/>

<sup>76</sup> <http://dementia.ie/news-events/news/helpful-resources-that-may-help-with-social-isolation-during-covid-19>

<sup>77</sup> <https://www.nuigalway.ie/opinion/combating-exclusions-and-ageism-for-older-people-during-the-covid-19-pandemic.html>

<sup>78</sup> O'Shea (2020) Remembering people with dementia during the Covid-19 crisis, HRB Open Research, 3: 15. <https://hrbopenresearch.org/articles/3-15>

<sup>79</sup> <https://hse.drsteevenslibrary.ie/Covid19V2/residentialhomes#nurse%20led%20residential%20facilities>



new ways) e.g. by telephone, online) is to be continued. However, there is no timeframe for the resumption of community-based services for people with dementia.

## 6. Key lessons and messages from Ireland

Below are some of the key tentative messages and lessons to date from Ireland in relation to nursing homes and home care.

### 6.1. Nursing homes

- Nursing homes should be prioritised early on in public health emergency planning.
- Emergency planners need to engage with and establish communication lines with nursing home providers, the nursing home workforce, their representative organisations, and organisations advocating on behalf of residents.
- Guidance on infection prevention and control needs to be tailored to nursing homes, and nursing home providers and their staff need support to understand and apply guidance in individual nursing home settings.
- Nursing home providers and staff need access to specialists to advise on preparing for and managing a COVID-19 outbreak, and answer specific queries.
- Nursing home staff and residents should be a priority group for COVID-19 testing.
- Nursing homes and their staff need access to, and guidance and training on how to use PPE.
- Nursing home staff should be considered as part of the health and social care system.
- All nursing home staff at risk, irrespective of their job title or employer, should be considered in emergency planning decision-making.
- The movement of nursing home staff needs to be carefully considered, given that nursing homes staff may be sharing accommodation with each other; working across different care settings; living in overcrowded accommodation; and/or combining formal (paid) caring in a residential care setting with informal caring for school-going children and/or a child or adult with care needs.
- Contingency planning is needed for staffing shortages in nursing homes sector as a result of illness, self-isolation, or voluntary withdrawal from work.

### 6.2. Home care

The literature on emergency planning and the home care sector is limited. However, it does provide some key messages for emergency planners:

- Home support services play a crucial role during a pandemic.
- Home care workers should be considered as part of the health and social care system.

- All home care workers at risk, irrespective of their job title or employer should be considered in emergency planning decision-making.
- The income of home care workers should be protected in the event of them not being able to continue in their jobs.
- Any redistribution of home care workers into residential care should be carefully considered in terms of its impact on their community clients and family carers.
- Home care employers, the home care workforce, and their advocates need to establish communication networks and be integrated into the emergency planning process.
- Planning for acquiring and distributing adequate supplies of PPE and training home care workers in its use during a pandemic is important.