# Impact of COVID-19 vaccinations in Dutch nursing homes Back to normal?

living lab in ageing and south long-term care limburg

Dr. Judith Urlings

Department of Health Services Research
Care and Public Health Research Institute
Faculty of Health, Medicine and Life Sciences
Maastricht University
Maastricht, the Netherlands
December 6, 2021
@JudithUrlings @AWOLimburg











## Nursing homes closed nationally on March 20<sup>th</sup> 2020

In the southern part of the Netherlands, organizations closed from March 10<sup>th</sup>

#### **Ban for visitors**

- Highly restrictive measure
  - No family/friends/volunteers allowed
  - Only health services if highly necessary
- Creative alternatives
  - E.g. window visiting, separate container

- BUT serious challenge to residents' autonomy
- Primary data lacking









JAMDA 21 (2020) 900-904



#### **JAMDA**

journal homepage: www.jamda.com



#### Original Study

#### Allowing Visitors Back in the Nursing Home During the COVID-19 Crisis: A Dutch National Study Into First Experiences and Impact on Well-Being



Hilde Verbeek PhD <sup>a,b,\*</sup>, Debby L. Gerritsen PhD <sup>c</sup>, Ramona Backhaus PhD <sup>a,b</sup>, Bram S. de Boer PhD <sup>a,b</sup>, Raymond T.C.M. Koopmans PhD, MD <sup>c,d</sup>, Jan P.H. Hamers PhD, RN <sup>a,b</sup>



Department of Health Services Research, Care and Public Health Research Institute, Maastricht University, Maastricht, the Netherlands

b Living Lab in Ageing and Long-Term Care, Maastricht, the Netherlands

<sup>&</sup>lt;sup>c</sup> Department of primary and community care, Radboud University Medical Center, Nijmegen, the Netherlands

d Joachim and Anna, Center for specialized geriatric care, Nijmegen, the Netherlands



Backhaus et al. BMC Geriatr (2021) 21:588 https://doi.org/10.1186/s12877-021-02530-1

RESEARCH Open Access

# From wave to wave: a Dutch national study on the long-term impact of COVID-19 on well-being and family visitation in nursing homes

Ramona Backhaus<sup>1,2\*</sup>, Hilde Verbeek<sup>1,2</sup>, Bram de Boer<sup>1,2</sup>, Judith H. J. Urlings<sup>1,2</sup>, Debby L. Gerritsen<sup>3</sup>, Raymond T. C. M. Koopmans<sup>4</sup> and Jan P. H. Hamers<sup>1,2</sup>



**BMC Geriatrics** 

# New survey March/April 2021



Aim: Assess the impact of vaccinations on daily life and family visitation in Dutch nursing homes



#### **Background**



- Residents and staff of nursing homes were among the first to be vaccinated against COVID-19
- Start vaccination nursing home residents: January 18, 2021

### Results (1)



- 59 / 76 nursing homes responded (78%)
- Vaccination status residents (March/April 2021):
  - On average, 77% of residents within a nursing home were fully vaccinated
  - Often, over 80% of residents were fully vaccinated
  - In 20% of nursing homes: less than 60% of residents fully vaccinated
- Reasons for low vaccination rates among residents:
  - Most mentioned: still waiting for the second dose
  - Minority: fragile health status, no consent from family members, fear of side effects, low confidence in vaccination



### Results (2)



- Vaccination status of staff: due to privacy regulations, not known exactly
- 2/3 of respondents indicated that they can give a reliable estimation:
  - On average, they estimated that 65% of staff in their nursing home was vaccinated (great variation between homes)
- Reasons for low vaccination rates:
  - Pregnancy or wish to become pregnant or breastfeeding
  - Fear of side effects
  - Fear of long-term effects of vaccination



### Results (3)



- 70% of nursing homes: protective measures less restrictive after vaccinations
  - Still: no hugs between residents and family allowed, family is not allowed to stay for dinner, family is only welcome during 'visiting hours', etc.
- Normalization of activities:
  - Resident-resident interaction
  - Less volunteers than before the pandemic



#### **Conclusion**



- Even after vaccination, 'normality' had not been reached
  - No plans on how to 'normalize'
- Family visits still differ (compared to pre-pandemic)
- Is family still seen as a 'risk factor'?
- Tailor-made solutions necessary: How to reach 'normality'?



#### Partners:





#### gıldezorgcollege





















